

Amendments to the Claims

1 to 34. (Canceled).

35. (Currently amended) A method of inducing a T_H1 polarized immune response to at least one antigen comprising parenterally administering to a subject microparticles comprising said at least one antigen entrapped or encapsulated in a biodegradable polymer, wherein said biodegradable polymer comprises a copolymer of lactic acid and glycolic acid or enantiomers thereof, and wherein said microparticles are sized such that the average diameter of said microparticles is from ~~about 2.2~~ 2.4 μm to ~~about~~ 4.3 μm .

36. (Previously presented) The method of Claim 35, wherein the microparticles are sized such that at least 50% of the microparticles are less than 3 μm .

37. (Canceled)

38. (Previously presented) The method of Claim 35, wherein the microparticles are formed using a solvent evaporation method.

39. (Previously presented) The method of Claim 35, wherein the at least one antigen comprises a *B. pertussis* antigen.

40. (Previously presented) The method of Claim 35, wherein the parenteral administration is selected from the group consisting of intraperitoneal administration, subcutaneous administration and intramuscular administration.

41. (Currently amended) A vaccine formulation for enhancing a T_H1 immune response to at least one antigen and adapted for parenteral administration comprising a pharmaceutically acceptable carrier and a pharmaceutically effective amount of microparticles comprising said at least one antigen entrapped or encapsulated in a biodegradable polymer, wherein said biodegradable polymer comprises a copolymer of lactic acid and glycolic acid or enantiomers thereof, and wherein said microparticles are sized such that the average diameter of said

microparticles is from ~~about 2.2~~ 2.4 μm to ~~about~~ 4.3 μm .

42. (Currently amended) The vaccine formulation of Claim 41, wherein the microparticles are sized such that at least 50% of the microparticles are less than 3 μm ~~m~~.

43. (Canceled)

44. (Previously presented) The vaccine formulation of Claim 41, wherein the microparticles are formed using a solvent evaporation method.

45. (Previously presented) The vaccine formulation of Claim 41, wherein the at least one antigen comprises a *B. pertussis* antigen.

46. (Canceled)

47. (Currently amended) A vaccine formulation for enhancing a T_H1 immune response to at least one antigen and adapted for parenteral administration comprising a pharmaceutically acceptable carrier and a pharmaceutically effective amount of microparticles comprising at least 2 subpopulations of microparticles, each subpopulation comprising a different antigen, each antigen entrapped or encapsulated by a biodegradable polymer, wherein said biodegradable polymer comprises a copolymer of lactic acid and glycolic acid or enantiomers thereof, and wherein said microparticles are sized such that the average diameter of said microparticles is from ~~about 2.2~~ 2.4 μm to ~~about~~ 4.3 μm .